

Notice of Allowability

Application No.

10/812,257

Examiner

Tuyen Q Tra

Applicant(s)

TSAI ET AL.

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/07/2004.
2. ☒ The allowed claim(s) is/are 1-27.
3. ☒ The drawings filed on 29 March 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☒ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 0504
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 1204.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Daniel R. McClure on December 3, 2004.
3. The application's specification and claim has been amended as follows:
 - Page 6, line 13, "308" has amended as – 410 --.
 - Page 6, line 27, "322" has amended as – 416 --.
 - Page 7, line 8, "104" has been amended as – 414 --.
 - Claim 1, line 5, "having" has been amended as –has--.
 - Claims 7 and 22, line 2, "photosensitive resin" has been amended as –photosensitive organic resin --.

Reason For Allowance

4. Claims 1-27 are allowed.
5. Following is an examiner's statement of reasons for allowance:

The prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the independent claim(s), in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims 1 and 16, which include (claim 1) two supporters respectively

Art Unit: 2873

disposed on the black matrix layers wherein each of the supporters having a width smaller than the width of each of the black matrix layers; a first electrode formed between the supporters and on the black matrix layers; (claim 16) steps for forming micro mechanical system display cell comprising of forming two black matrix layers and a planarization layer wherein the black matrix layers and the planarization layer are arranged alternately; forming a first electrode on the black matrix layers and the planarization layer; forming a sacrificial layer on the first electrode; forming at least two openings in the first electrode and the sacrificial layer; forming a supporter in each of the openings; forming a second electrode is on the sacrificial layer and the supporters; and removing the sacrificial layer.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Chuang et al. (US Patent 6,448,709 B1) discloses a field emission display panel having diode structure and method for fabricating in Figure 3 comprising of a transparent substrate (44), a black matrix layer (72), two supporters (82), a first and second electrode (46 and 48); however, Chuang et al. does not teach or suggest wherein two black matrix layers, the first electrode formed between the supporters and on the black matrix layers.

Art Unit: 2873

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuyen Tra whose telephone number is (571) 272-2343. The examiner can normally be reached on Monday to Thursday from 8:30am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps, can be reached on (571) 272 - 2328. The fax number for this Group is (703) 872-9306.

tt

December 2, 2004


Hung Xuan Dang
Primary Examiner